

Produktnavn: PERMAHYD HI-TEC MIXING COLOUR 480 WT 388 SUPER DEEP BLACK

Produkt kode: 4025331463856

Trykdato: 2017-07-03

v5.1

Revisionsdato: 2017-07-03

DK/da Side 18- 18

ERC4	Industriell anvendelse i pro-cesser og produkter af pro-ceshjælpemidler, der ikke bliver en del af artikler
ERC5	Industriell anvendelse, der medfører, at stoffet indgår i eller påføres på en grund-substans
ERC12a	Industriell bearbejdning af artikler ved slibeprocesser (lav frigtivelse)

Glossary

SU	Anvendelsessektor
PC	Produktkategori
PROC	Proceskategori
ERC	Miljøudledningskategori
AC	Artikelkategori
spERC	Sector specific environmental release category (for ACEA uses)
ACEA	European automobile manufacturers association
AIRC	Federation of vehicle repair organisations
CEPE	European council of producers and importers of paints, printing inks and artists' colours
OC	Operational condition
DOA	Duration of activity
LEV	Local exhaust ventilation
TRV	Technical room ventilation
RMM	Risikohåndteringsforanstaltninger
RPE	Respiratory protection equipment
DPE	Dermal protection equipment
WWTP	Waste water treatment plant (on-site)
STP	Sewage treatment plant (municipal)
SVHC	Substance of very high concern
LSI	Lead substance indicator
M(sperc)	Maximum volume of lead substance which can be used safely under conditions described by CEPE spERC
DNEL	Afledte nuleffektniveauer
DMEL	Derived minimum effect level
PNEC	Beregnet nuleffekt-koncentration
ECETOC TRA	Targeted risk assessment as proposed by European center for ecotoxicology and toxicology of chemicals
RCR	Risk characterisation ratio